## **Dr. McCallum-SUPREP Bowel Preparation Instructions PLEASE READ ALL OF THESE INSTRUCTIONS CAREFULLY**

At anytime should you have any questions about the instructions, please contact our office at (520) 327-3454 (during normal business hours) so a staff member can go over them with you.

#### **5 DAYS BEFORE YOUR EXAM**

- **STOP** taking all anticoagulants; Coumadin, Heparin, Lovenox, Plavix, Aggranox (if okay with your Primary Care physician or Cardiologist). If you must continue them, please let us know.
- **STOP** any bulking agents; Metamucil, Citrucel, Gemfibrozil, Ginseng, Ginkgo, Garlic tablets, Vitamin E, Multi Vitamins, & Iron supplements.

#### 3 DAYS BEFORE YOUR EXAM

- STOP EATING ALL Nuts, Seeds, Red Meat, Leafy Vegetables, Fruit Skins, Salads, Popcorn, Beans (all kinds), Corn, Tomatoes, Salsa, Corn Chips.
- YOU MAY HAVE: Pasta, Eggs, White Rice, Mashed and Sweet Potatoes, Chicken, Fish, White Bread, Cheerios, Pudding, Yogurt, Milk Shakes, Cheese, Creamy Soups, Oatmeal, Bananas, Peeled Apples, Applesauce.

### **DAY BEFORE YOUR EXAM** - Clear liquid diet only

- **Do not** take any oral diabetic medications the day before or the morning of your exam.
- **Insulin dependent diabetics** should take ½ the usual dose of Insulin the day before your exam and ½ the usual dose on the day of your exam. Continue to monitor blood sugar as usual.
- Take any heart and/or blood pressure medications as usual.
- Drink as much of the **clear liquid diet** as you can through out the day which includes; **Beverages-** Soft drinks (orange, ginger ale, cola, Sprite, 7-Up, etc), Gatorade, Kool-Aide, strained fruit juices w/o pulp (apple, white grape, lemonade, etc.), water, tea, or coffee. **No** milk or non-dairy creamer. **No beverages that are red or purple in color. Soups-** Low sodium chicken or beef bouillon/broth. **Desserts-** Hard candies, Jell-O (lemon, lime, or orange; no fruit or toppings), or popsicles (no sherbets or fruit bars).
- Lunch and Dinner ~ LIQUID DIET ONLY Drink all the clear liquids you like. NO SOLID FOOD.
- **5PM**-Pour one (1) 6-ounce bottle of SUPREP liquid into the mixing container, add cool drinking water to the 16-ounce line on the container and mix. Drink **ALL** the liquid in the container. You **MUST** drink two (2) more 16-ounce containers of water over the next 1 hour.
- Individual responses to laxatives vary. Remain close to a toilet, as multiple bowel movements will occur.

## <u>DAY OF YOUR EXAM</u> – Clear liquids only as directed. <u>NO</u> solid food until exam has been completed.

- Starting at \_\_\_\_\_\_ Pour one (1) 6-ounce bottle of SUPREP liquid into the mixing container, add cool drinking water to the 16-ounce line on the container and mix. Drink **ALL** the liquid in the container. You **MUST** drink two (2) more 16-ounce containers of water over the next 1 hour.
- Take any heart and/or blood pressure medications as usual.
- STOP DRINKING CLEAR LIQUIDS 2 HOURS PRIOR TO YOUR EXAM. Nothing after
- Please wear sensible shoes (NO heels) and comfortable clothing.
- Please bring a list of your medications with you.

# \*\*\*YOU MUST HAVE SOMEONE DRIVE YOU HOME AFTER YOUR EXAM. WE REQUEST THAT YOUR DRIVER REMAIN DURING YOUR EXAM\*\*\*

\*\* Our facility doors open at 6:30am. Should you be scheduled for an early morning appointment, please plan your arrival accordingly.\*\*

Tucson Gastroenterology Specialists, PC 3040 N. Swan Road, Ste. B Tucson, Arizona 85712 Phone (520) 327-3454 Fax (520) 327-3431 www.tucsongastro.com